

BA-GLOBAL Co., Ltd.
#CI FLEXO Printing Machine #Printing Machine #Printing Machine Manufacturer
#Packaging Machine #Packaging Consumables

Office: 67, Gongwon-ro 6ga-gil, Guro-gu, Seoul, Korea, 08289.

Factory: 166-4, Jangan-ro 227beon-gil, Jangan-myeon, Hwaseong-si, Gyeonggi-do, Korea.

Website: www.ba-global.biz Email: yunben@citizen.seoul.kr Tel/Whatsapp: +82-10-8603-3519

CATALOG

CI & STACK FLEXO PRESSES

ABOUT US

PLANT Machinery Company

Many experience with our clients

Printing Machines for Paper/PP as FLEXO Presses

Packaging Machines for Paper/PP bags

Packaging Consumables of Hotmelt adhesive paper ect.

CI FLEXO PRINTING MACHINE



This machine is central impression type Flexographic printing presses with geared transmission. It can make printed paper for paper bags, carton boxes as whole paper roll at one time. It is composed with coating unit for printing with FLEXO ink.

It is composed 2 types that one is sleeve type as Anilox sleeves and plate sleeves and the other one is roller type. It can make to print with wide print width and long repeat length at one time as good quality. It was manufactured by our technology in our factory from drawing machine and electricity to test machine as customized needs of clients.



Technical feature

We provide standard considerable automation and remote controls to move sleeves or rollers so it will be able to manufacture products by this machine without many people.

- **X** followed this machine's manual by the remote controls up to the total functions.
- **X** Replacement of the printing sleeves directly on the printing units;
- **X** Automated printing rollers, sleeves and/or sleeve mandrels replacement system.
- **X** Possible to check your product by screen of connected camera before rewinding units.

SPECIFICATION OF CI FLEXO PRINTING MACHINE

Specification

Capacity	Max. 400 m/min
Web Available Material	Paper 100-220 g/m ²
Web Diameter	Max. Ø 1500 mm
Web Width	Max. 2300 mm
Web Automatic connection	80 - 100 mm
Print Colors	4 - 10 colors

Print Repeat Length

Min. 550 mm – Max. 1900 mm

Print Width

Reel Diameter

Max. Ø 1500 mm

Main Electricity

380 V / 60 Hz

Machine Dimension

L: 26.3m x W: 10.1m x H: 7m

- **X** We can offer to manufacture machines as customized clients' needs.
- **X** Speed is depended on ink performance and engineer skills.
- **X** Coating unit or part is option.

PHOTOS ON FILED

In Korea





In Cambodia



STACK FLEXO PRINTING MACHINE



This machine is Stack type Flexographic printing presses with geared transmission. It can make printed paper for paper bags, carton boxes, tarpaulin(or Polypropylene) sheets as whole roll at one time. Tarpaulin or Polypropylene sheets are composed with Corona part and Coating part for printing with FLEXO ink.

It is composed 2 types that one is sleeve type as Anilox sleeves and plate sleeves and the other one is roller type. It can make to print with wide print width and long repeat length at one time as good quality. It was manufactured by our technology in our factory from drawing machine and electricity to test machine as customized needs of clients.



Technical feature

We provide standard considerable automation and remote controls to move sleeves or rollers so it will be able to manufacture products by this machine without many people.

- **X** followed this machine's manual by the remote controls up to the total functions.
- **X** Replacement of the printing sleeves directly on the printing units;
- **X** Automated printing rollers, sleeves and/or sleeve mandrels replacement system.
- **X** Possible to check your product by screen of connected camera before rewinding units.

SPECIFICATION OF STACK FLEXO PRINTING MACHINE

Specification

Capacity	Max. 250 m/min	
Web Available Material	Paper 100-220 g/m ² or Tarp, PP	
Web Diameter	Max. Ø 1500 mm	
Web Width	Min. 1200mm - Max. 3200 mm	
Web Automatic connection	80 - 100 mm	
Print Colors	2 - 8 colors	
Print Repeat Length	Min. 550 mm - Max. 1200 mm	
Print Width	Max. 3100 mm	
Reel Diameter	Max. Ø 1500 mm	
Main Electric Capacity	Approx. 100 Kw	
Machine Dimension	L: 17m x W: 6.5m x H: 4.5m	

- **X** We can offer to manufacture machines as customized clients' needs.
- **X** Speed is depended on ink performance and engineer skills.
- **X** Coating unit or part is option.

PHOTOS ON FILED

In Korea



In USA



FLEXO PRINTING MACHINE PART

Sleeve type



It is composed in Sleeve type FLEXO Printing Machine. It is comfortable to change sleeves even long length by air because this machine has air mandrels with air operator for pushing the inner side surface of sleeves when engineers put sleeves on air mandrels. It is affordable who needs to manufacture many size products of printing by this printing machine.

Roller type

It is composed in Roller type FLEXO Printing Machine. It is proffered when you have not many size products of printing from orders of your clients. It doesn't need an air operator when your engineers change these rollers by hoist equipment in machine.





COMPARE WITH ANOTHER BRANDS AND OUR BRAND

TECHNICAL SPECIFICATIONS		
	NOVOFLEX II M	NOVOFLEX II L
Color Decks	8 / 10	8 / 10
Print Widths	1000 / 1270 / 1450 mm (39.4" / 50" / 57")	1270 / 1450 / 1650 mm (50" / 57" / 65")
Repeat Length	max. 800 mm (31.5")	max. 1250 mm (49.2")
Press Speed	500 / 600 m/min (1640 / 1960 ft/min)	500 / 600 / 800 m/min (1640 / 1960 / 2620 ft/min)

Germany

Specification Details		
Specifications		Euroflex
Number of Colors		4/6/8/10
Max Machine Speed	m/min ft/min	500 1640
Material Width	mm inch	670/870/1070/1270/1370/1570 26.4/34.3/42.1/50/53.9/61.8
Printing Sleeve Width	mm inch	600/800/1000/1200/1300/1500 23.6/31.5/39.4/47.2/51.2/59.1
Roll Diameter	mm inch	800 / 1000 (Option) 31.5 / 39.4 (Option)
Repeat Length	mm inch	300/340-800 11.8/14.2~31.5

Taiwan

Technical characteristics		
Туре	Gearless	
Colours	8	
Print width (mm- in)	870 / 1070 / 1270 34.2 / 42.1 / 50	
Minimum repeat (mm - in)	300 / 330 / 350 11.8 / 12.9 / 13.7	
Maximum repeat (mm - in)	800 31.5	
Maximum speed (m/min - ft/min)	400 1312.3	
Dimensions (m - ft)	15.70x5.51x5.45 (standard machine 1270 mm wide) 51.5x18.0x17.8 (standard machine 50 in wide)	
The technical characteristics are likely to change according to the chosen setup.		


Spain

Specification			
Capacity	Max. 400 m/min		
Flexible length and big print width			
wthan other	s' companies —		
Print Repeat Length	Min. 550 mm – Max. 1900 mm		
Print Width	Max. 2200 mm		
Reel Diameter	Max. Ø 1500 mm		
Main Electricity	380 V / 60 Hz		
Machine Dimension	L: 26.3m x W: 10.1m x H: 7m		

BA-GLOBAL Co., Ltd. in Korea

#CI FLEXO Printing Machine #Printing Machine #Printing Machine Manufacturer #Packaging Machine #Packaging Consumables

OUR STRENGH



DRWAING OF MACHINE BY OURSELVES



HANDLE OF TRADE BY OURSELVES



ELECTROCITY DRAWING BY OURSELVES



INSTALLATION & TEST OF MACHINE



MANUFACTURE MACNINE BY OURSELVES



CUSTOMER SERVICE BY ZOOM



OUR CLIENTS





























OUR PARTNERS

























